

ComboDrive T8 LED Tube Ballast Compatibility List

KT-LED13T8-48G-8XX-X3



Check back often for updates. If the ballast you are looking for is not on this list, please contact us, and we will make every effort to evaluate compatibility.

Note: Reduced Lamp Load is defined as operating one less lamp than the ballast is rated for.

4' Lamps, 120–277V Input

Ballast Description				1-Lamp Load		2-Lamp Load		3-Lamp Load		4-Lamp Load	
Brand	Part Number	Starting Method	Number of Lamps	Input Voltage		Input Voltage		Input Voltage		Input Voltage	
				120V	277V	120V	277V	120V	277V	120V	277V
Keystone	KTEB-132-UV-IS-L-P	Instant	1	✓	✓	—	—	—	—	—	—
	KTEB-132-UV-PS-N-P	Instant	1	✓	✓	—	—	—	—	—	—
	KTEB-232-UV-IS-L-P	Instant	2	✓	✓	✓	✓	—	—	—	—
	KTEB-232-UV-IS-N-P	Instant	2	✓	✓	✓	✓	—	—	—	—
	KTEB-232-UV-IS-H-P	Instant	2	✗	✗	✓	✓	—	—	—	—
	KTEB-332-UV-IS-L-P	Instant	3	—	—	✓	✓	✓	✓	—	—
	KTEB-332-UV-IS-N-P	Instant	3	—	—	✓	✓	✓	✓	—	—
	KTEB-332-UV-IS-H-P	Instant	3	—	—	✗	✗	✓	✓	—	—
	KTEB-432-UV-IS-L-P	Instant	4	—	—	—	—	✓	✓	✓	✓
	KTEB-432-UV-IS-N-P	Instant	4	—	—	—	—	✓	✓	✓	✓
	KTEB-432-UV-IS-H-P	Instant	4	—	—	—	—	✗	✗	✓	✓
	KTEB-232-UV-PS-VDIM	Program	2	—	—	✓	✓	—	—	—	—
	KTEB-232-UV-PS-H-P	Program	2	✗	✗	✗	✗	—	—	—	—
	KTEB-332-UV-PS-L-P	Program	3	—	—	✓	✓	✓	✓	—	—
	KTEB-332-UV-PS-N-P	Program	3	—	—	✓	✓	✓	✓	—	—
	KTEB-332-UV-PS-H-P	Program	3	—	—	✗	✗	✗	✗	—	—
	KTEB-432-UV-PS-L-P	Program	4	—	—	—	—	✓	✓	✓	✓
	KTEB-432-UV-PS-N-P	Program	4	—	—	—	—	✓	✓	✓	✓
Arcata	ACT2P32ISUNV	Instant	2	✓	✓	✓	✓	—	—	—	—
	ACT4P32ISUNV	Instant	4	—	—	—	—	✓	✓	✓	✓
Advance	ICN-2P32-N	Instant	2	✗	✗	✓	✓	—	—	—	—
	ICN-3P32-N	Instant	3	—	—	✓	✓	✓	✓	—	—
	ICN-4P32-N	Instant	3	—	—	✓	✓	✓	✓	—	—
	ICN-2P32-SC	Instant	2	✓	✓	✓	✓	—	—	—	—
	ICN-4P32-SC	Instant	4	—	—	—	—	✗	✓	✗	✓
	IOPA-1P32-N	Instant	1	✓	✓	—	—	—	—	—	—
	IOPA-2P32-N	Instant	2	✓	✓	✓	✓	—	—	—	—
	IOPA-3P32-N	Instant	3	—	—	✓	✓	✓	✓	—	—
	IOPA-1P32-LW-N	Instant	1	✗	✗	—	—	—	—	—	—
	IOPA-2P32-LW-N	Instant	2	✗	✗	✓	✓	—	—	—	—
	IOPA-4P32-LW-N	Instant	4	—	—	—	—	✓	✓	✓	✓
ESPEN	REL-2P32-SC	Instant	2	✓	—	✓	—	—	—	—	—
	VE232MVHIPHE	Instant	2	✗	✗	✓	✓	—	—	—	—
	VE232MVHIPLE	Instant	2	✓	✓	✓	✓	—	—	—	—
	VE432MVHIP	Instant	4	—	—	—	—	✓	✓	✓	✓
	VE432MVHIPE	Instant	4	—	—	—	—	✓	✓	✓	✓
Fulham	NPY-120-232-LT8	Program	2	✗	—	✗	—	—	—	—	—
	NPY-120-432-T8B	Instant	4	—	—	—	—	✓	—	✓	—
	NPY-120-432-T8-IS	Instant	4	—	—	—	—	✓	—	✓	—

✓ Yes — N/A ✗ No

(continued on next page)

1. SmartDrive LED Lamp Compatibility is determined when the ballast turns on the LED lamp and the electrical characteristics of the LED lamp are stable and within designed operating specifications.
2. Keystone SmartDrive LED Lamp Compatibility does not make any guarantees of electrical performance or lifetime for ballasts that are not manufactured by Keystone.
3. Ballast compatibility testing is performed with specific date codes. Please contact Keystone for more information on date code of ballasts tested.
4. All data subject to change.

4' Lamps, 120–277V Input *(continued)*

Ballast Description				1-Lamp Load		2-Lamp Load		3-Lamp Load		4-Lamp Load	
Brand	Part Number	Starting Method	Number of Lamps	Input Voltage		Input Voltage		Input Voltage		Input Voltage	
				120V	277V	120V	277V	120V	277V	120V	277V
Fulham <i>(continued)</i>	WHCG3-120-T8-IS	Instant	3	—	—	✓	—	✓	—	—	—
	WH2-120-L	Instant	1	✓	—	—	—	—	—	—	—
	WH5-120-L	Instant	4	—	—	—	—	✓	—	✓	—
Fusion	FB232MVE	Instant	2	✓	✓	✓	✓	—	—	—	—
	FB232MVE-N	Instant	2	✓	✓	✓	✓	—	—	—	—
	FB232MVE-HE	Instant	2	✓	✓	✓	✓	—	—	—	—
	FB232MVE-LHE	Instant	2	✓	—	✓	—	—	—	—	—
	FB232MVE-PPS-HE	Program	2	✓	✓	✓	✓	—	—	—	—
	FB332MVE	Instant	3	—	—	✓	✓	✓	✓	—	—
	FB432MVE	Instant	4	—	—	—	—	✓	✓	✓	✓
	FB432MVE-HE	Instant	4	—	—	—	—	✓	✓	✓	✓
	FB432MVE-N	Instant	4	—	—	—	—	✓	✓	✓	✓
	FB432MVE-PPS-HE	Program	4	—	—	—	—	✓	✓	✓	✓
	GE 232-120-PS-N	Program	2	✓	—	✓	—	—	—	—	—
GE	GE232MAXP-N/ULTRA	Instant	2	✓	✓	✓	✓	—	—	—	—
	GE232MAXP-H/ULTRA	Instant	2	✗	✗	✓	✓	—	—	—	—
	GE232-MVPS-L	Program	2	✓	✗	✓	✗	—	—	—	—
	GE232-MVPS-H	Program	2	✗	✗	✓	✓	—	—	—	—
	GE332MAX-L/ULTRA	Instant	3	—	—	✓	✓	✓	✓	—	—
	GE332MAX90-V60	Instant	3	—	—	✗	✗	✓	✓	—	—
	GE332MV-N-DIY	Instant	3	—	—	✓	✓	✓	✓	—	—
	GE432-120-N	Instant	4	—	—	—	—	✓	—	✓	—
	GE432MAX-G-N	Instant	4	—	—	—	—	✓	✓	✓	✓
	GE-432-MAX-N/Ultra	Instant	4	—	—	—	—	✗	✗	✗	✗
	GE432MAX-H-42T	Instant	4	—	—	—	—	✓	✓	✓	✓
	GE432MV-N-DIY	Instant	4	—	—	—	—	✓	✓	✓	✓
	GE432MV-N-DIY	Instant	4	—	—	—	—	✓	✓	✓	✓
Greenhill	GH4P32ISUNV	Instant	4	—	—	—	—	✓	✓	✓	✓
Halco	EP332IS/MV/MC	Instant	3	—	—	✓	✓	✓	✓	—	—
	EP432IS/L/MV/HE	Instant	4	—	—	—	—	✓	✓	✓	✓
	EP432IS/MV/MC	Instant	4	—	—	—	—	✓	✓	✓	✓
Howard	EP432IS/MV/MC/HE	Instant	4	—	—	—	—	✓	✗	✓	✓
Huafeng	ENI-T8-32-P2SC-N	Instant	2	✓	✓	✓	✓	—	—	—	—
	ENI-T8-32-P4MC-N	Instant	4	—	—	—	—	✗	✓	✗	✓
Osram	QHE 2x32T8/UNV DIM-TC	Program	2	—	—	✓	✓	—	—	—	—
	QTP 2x32T8/UNV ISH-SC	Instant	4	—	—	✗	✗	—	—	—	—
	QTP 3x32T8/UNV ISH-SC	Instant	4	—	—	—	—	✗	✗	—	—
	QTP 4x32T8/UNV ISN-SC	Instant	4	—	—	—	—	✓	✓	✓	✓
	QTP 1X32T8/UNV/ PSN-TC	Program	1	✓	✓	—	—	—	—	—	—
	QTP 2x32T8/UNV PSN-TC	Program	2	✓	✓	✓	✓	—	—	—	—
Pacific	EB-332IS-U	Instant	3	—	—	✓	✓	✓	✓	—	—
	EB-432IS-U	Instant	4	—	—	—	—	✓	✓	✓	✓
PQL	70201	Instant	2	✓	✓	✓	✓	—	—	—	—
	70204	Instant	4	—	—	—	—	✓	✓	✓	✓
Premium	BB-T8/UVH-2x32	Instant	2	✓	✓	✓	✓	—	—	—	—
	BB-T8/UVH-3x32	Instant	3	—	—	—	—	✓	✓	—	—
Robertson	RSW240T12120	Program	2	✓	—	✓	—	—	—	—	—
Standard	E232PI120L	Instant	2	✓	—	✓	—	—	—	—	—
	E432T8IS120/H	Instant	4	—	—	—	—	✗	—	✓	—
	E432T8IS120/N/AS/BULK	Instant	4	—	—	—	—	✓	—	✓	—



Yes



N/A



No

(continued on next page)

1. SmartDrive LED Lamp Compatibility is determined when the ballast turns on the LED lamp and the electrical characteristics of the LED lamp are stable and within designed operating specifications.
2. Keystone SmartDrive LED Lamp Compatibility does not make any guarantees of electrical performance or lifetime for ballasts that are not manufactured by Keystone.
3. Ballast compatibility testing is performed with specific date codes. Please contact Keystone for more information on date code of ballasts tested.
4. All data subject to change.

4' Lamps, 120–277V Input *(continued)*

Ballast Description				1-Lamp Load		2-Lamp Load		3-Lamp Load		4-Lamp Load	
Brand	Part Number	Starting Method	Number of Lamps	Input Voltage		Input Voltage		Input Voltage		Input Voltage	
				120V	277V	120V	277V	120V	277V	120V	277V
Sunpark	SL15T	Program	2	×	—	✓	—	—	—	—	—
Universal	B232PUSV3PLA	Program	2	×	×	×	×	—	—	—	—
	B232SR120S30	Program	2	—	—	×	—	—	—	—	—
	B432IUNVHP-A	Instant	4	—	—	—	—	✓	✓	✓	✓

4' Lamps, 347–480V Input

Ballast Description				1-Lamp Load		2-Lamp Load		3-Lamp Load		4-Lamp Load	
Brand	Part Number	Starting Method	Number of Lamps	Input Voltage		Input Voltage		Input Voltage		Input Voltage	
				347V	480V	347V	480V	347V	480V	347V	480V
Keystone	KTEB-232-3-IS-N-P	Instant	2	✓	—	✓	—	—	—	—	—
	KTEB-432-3-IS-N-P	Instant	4	—	—	—	—	✓	—	✓	—
Arcata	ACT2P32IS347	Instant	2	✓	✓	✓	✓	—	—	—	—
	ACT4P32IS347	Instant	4	—	—	—	—	✓	✓	✓	✓
Advance	GOPA-2P32-LW-SC	Instant	2	✓	—	✓	—	—	—	—	—
	GOPA-4P32-LW-SC	Instant	4	—	—	—	—	✓	—	✓	—
	GOPA-2P32-SC	Instant	2	✓	—	✓	—	—	—	—	—
	GOPA-4P32-SC	Instant	4	—	—	—	—	✓	—	✓	—
Fusion	FB232347E-HE	Instant	2	✓	—	✓	—	—	—	—	—
	FB232347E-L	Instant	2	✓	—	✓	—	—	—	—	—
	FB232347E-N	Instant	2	✓	—	✓	—	—	—	—	—
	FB232347E-PPS-HE	Program	2	✓	—	✓	—	—	—	—	—
	FB432347E-HE	Instant	4	—	—	—	—	✓	—	✓	—
	FB432347E-L	Instant	4	—	—	—	—	✓	—	✓	—
	FB432347E-N	Instant	4	—	—	—	—	✓	—	✓	—
	FB432347E-PPS-HE	Program	4	—	—	—	—	✓	—	✓	—
GE	GE232MAX347-H	Instant	2	×	—	✓	—	—	—	—	—
	GE232PS347-N	Program	2	✓	—	✓	—	—	—	—	—
	GE332MAX347-H	Instant	3	—	—	×	—	✓	—	—	—
	GE432MAX347-H	Instant	4	—	—	—	—	×	—	✓	—
	GE432PS347-N	Program	4	—	—	—	—	✓	—	✓	—
Osram	QHE 2x32 T8/347 ISL-SC	Instant	2	✓	—	✓	—	—	—	—	—
	QHE 2x32 T8/347 ISN-SC	Instant	2	✓	—	✓	—	—	—	—	—
Standard	E232T8IS347/H/90C	Instant	2	×	—	×	—	—	—	—	—
	E232T8IS347/L/BULK	Instant	2	✓	—	✓	—	—	—	—	—
	E232T8IS347/N/BULK	Instant	2	×	—	✓	—	—	—	—	—
	E432PI347G01	Instant	4	—	—	—	—	✓	—	✓	—
	E432T8IS347/L/BULK	Instant	4	—	—	—	—	✓	—	✓	—
	E432T8IS347/N	Instant	4	—	—	—	—	✓	—	✓	—
	E432T8IS347/N/BULK	Instant	4	—	—	—	—	✓	—	✓	—
	E432T8IS347/H/90C	Instant	4	—	—	—	—	×	—	×	—
Universal	B232I347HE-A	Instant	2	✓	—	✓	—	—	—	—	—
	B432I347HE-A	Instant	4	—	—	—	—	✓	—	✓	—

Emergency Ballasts

Brand	Part Number	Compatible
Keystone	KT-EMRG-500	✓
	KT-EMRG-750-CFL4	✓
	KT-EMRG-1300-T5	✓
Lota	ISL-54	✓

✓	Yes	—	N/A	×	No
---	-----	---	-----	---	----

1. SmartDrive LED Lamp Compatibility is determined when the ballast turns on the LED lamp and the electrical characteristics of the LED lamp are stable and within designed operating specifications.
2. Keystone SmartDrive LED Lamp Compatibility does not make any guarantees of electrical performance or lifetime for ballasts that are not manufactured by Keystone.
3. Ballast compatibility testing is performed with specific date codes. Please contact Keystone for more information on date code of ballasts tested.
4. All data subject to change.