

0

0

0

Commercial & Residential

RECESSED | RECESSED EMRG WAFER | RETROFIT TRIM | DISK LIGHT

APRIL 2025



Downlights For All Applications KEYSTONE LED DOWNLIGHTS Efficient & Durable **Easy Installation** Versatility & SKU Reduction Keystone downlights are

LED lighting saves energy and money over legacy illumination. And with Keystone, you know your lights will last, with 50,000-hour lifetimes.

- INSTALLATION OPTIONS 4
- 6 **RECESSED INTEGRATED DRIVER**
- 10 INTEGRATED EMERGENCY
- 14 **REMOTE DRIVER**
- 18 WAFER
- RETROFIT TRIM 22
- 28 DISK LIGHT

RETROFIT TRIM WAFER

DISK LIGHT



designed to be installed quickly, working with existing designs and offering easy connection.



Power and Color Select technology allows end users to choose from multiple power outputs and color temperatures-and helps distributors stock fewer SKUs.

INSTALL OPTIONS

The right downlight

for the right installation.

ADVANTA

RECESSED INTEGRATED DRIVER

ADVANTAEMRG

RECESSED EMERGENCY DRIVER

ADVANTARMT


RECESSED REMOTE DRIVER

CIRCA




WAFER

RE




Internal driver and integral whip allow for quick installation into new or existing junction box



Pre-wired driver and pre-installed emergency battery backup includes simple plug with built-in J-box for easy power connection

Utilizes remote driver with built-in junction box and quick disconnect, eliminating need for traditional multi-piece fixture setup

With remote driver and built-in junction box, eliminates the need for traditional multi-piece fixture setup Simply screw into an E26 socket on existing recessed fixtures









RETROFIT TRIM







Connect directly to the junction box through the twist-off lens. Also available as a bracket mount model: connect to existing cans with E26 adapter





RECESSED INTEGRATED DRIVER

ADVANTA Integrated Driver

Ideal for new and retrofit installations.

COLOR SELECT TECHNOLOGY

Adjustable: 2700K-3000K-3500K-4000K-5000K

POWER SELECT TECHNOLOGY

Reduce SKUs and increase both flexibility and convenience with field-adjustable power outputs (5 options)



0-10V, TRIAC, and Reverse Phase driver ensures compatibility with multiple dimming systems for seamless integration







ADVANTA

With a deep recessed design, large metal trim, integrated driver, and flexible metal conduit for all wiring, Advanta downlights are ideal for commercial retrofit applications of existing 4-pin CFL based fixtures. When used in conjunction with related mounting accessories, Advanta is also a great choice for new construction builds.

Advanta is also equipped with Keystone's Power Select and Color Select technology, reducing SKUs and allowing installers to choose among selectable wattages and selectable color temperatures.

- into new or existing junction box
- Design features smooth, non-baffled trim, which offers • clean, modern appearance
- Keystone Power Select and Color Select technology offers . SKU reduction and allows for easy, on-the-job adjustments
- Combination dimming (0-10V, TRIAC, and Reverse Phase) .
- Suitable for use in wet locations .
- Airtight and Type IC-rated .
- 90 CRI for excellent color rendering





RECESSED **EMERGENCY**

ADVANTAEMRG **Recessed EMRG**

Everything needed in one emergency fixture.



COLOR SELECT TECHNOLOGY

Adjustable: 3000K—3500K—4000K

POWER SELECT TECHNOLOGY

with field-adjustable power output (3 options)



Features built-in EMRG pack and conveniently located test button

FULLY INTEGRATED



90 MIN EMERGENCY BACKUP




anna aiteanna aitean

W USARARA MALALALALALALA

Labola balance



Reduce SKUs and increase both flexibility and convenience



Advanta EMRG is also equipped with Keystone's Power Select and Color Select technology.

Suitable for new construction or retrofit applications, Advanta EMRG takes all the guesswork out of code-compliant emergency illumination needs for downlights.

- Suitable for use in dry and damp locations .
- Airtight and Type IC-rated
- Smooth reflector trim offers clean, modern appearance
- 90 CRI for excellent color rendering .



ADVANTARMT **Recessed Remote Driver**

Perfect for narrow plenums or obstructed spaces.



COLOR SELECT TECHNOLOGY

DIMMABLE

Adjustable: 2700K-3000K-3500K-4000K-5000K



POWER SELECT TECHNOLOGY (ON SELECT MODELS)

Reduce SKUs and increase both flexibility and convenience with field adjustable power outputs (3 options)



Available with TRIAC or 0-10V dimmability, offering efficiency and energy savings





Rohs



Advanta RMT offers a remote driver option for recessed downlight solutions. It keeps the same deep recessed design, but allows for flexible options with regards to the mounting driver. It's ideal for new construction applications with narrow plenums or obstructed spaces.

- Available in 0-10V dimming or TRIAC options
- Suitable for use in wet locations .
- Airtight and Type IC-rated





CIRCA Wafer

A slim downlight with big performance that can fit almost anywhere.



000

COLOR SELECT TECHNOLOGY

POWER SELECT TECHNOLOGY (ON SELECT MODELS)

Reduce SKUs and increase both flexibility and convenience with field adjustable power outputs (3 options)

FLUSH MOUNTING


Slim, regressed, baffled, and gimbal options available, all with beautiful aesthetics

INSTALLABLE IN MANY SPACES

Airtight and IC-rated, and suitable for use in wet locations

Adjustable: 2700K-3000K-3500K-4000K-5000K









AVIVA Retrofit Trim

With easy installation, beautiful aesthetics, and several options, an ideal residential solution.



Adjustable: 2700K-3000K-3500K-4000K-5000K

POWER SELECT TECHNOLOGY (ON SELECT MODELS)

Reduce SKUs and increase both flexibility and convenience with field adjustable power outputs (3 options)

ADAPTER

The quick-connect E26 base adapter provides for easy installation

COLOR SELECT TECHNOLOGY (ON SELECT MODELS)



Aviva is Keystone's residential downlight solution. All Aviva downlights simply screw into the socket of any existing can light-no need for a junction box-while offering improved aesthetics vs. screw-in lamps. Installing in a retrofit? The quick-connect E26 base adapter provides for easy installation. Use the standard configuration for traditional upgrades, the wafer to upgrade to a wafer aesthetic, or gimbal options for use in vaulted ceilings or to highlight items along a nearby wall.

Keystone Power and Color Select technology is available on select models, offering up to three wattage outputs and five color temperature settings.

Features & Benefits

- Offers improved aesthetics vs. screw-in lamps while using the same easy screw-in installation
- Keystone Power Select and Color Select technology available •
- Ideal for retrofit, new construction, and remodel applications .
- Quick-connect E26 base adapter for easy installation in . retrofit applications
- Suitable for a wide range of existing recessed can fixtures .
- Diffused lens reduces glare .

.

Powered by TRIAC dimming Keystone LED driver; 10-100% dimming

Other models available

Retrofit Trim Regressed

Our Regressed options include many of the features of our Wafer-and more.

- Smooth and baffled styles
- 4" and 6" sizes
- 3 trim ring finishes









MATTE BLACK

BRUSHED NICKEL

BRONZE

Retrofit Trim Contractor Prime

Our Contractor Prime series offers fixtures with dedicated wattage and color temperatures.

- Available in 4" and 6" Circular
- Smooth style
- 10–100% dimming
- Diffused lens reduces glare





Vaulted ceiling? Keystone covers all the angles. Aviva is available as a gimbal unit, so you can set the inclination you need. The gimbal unit has the same features as other Aviva models, so there's no worry about its capabilities-or dependability.

Features & Benefits

- Offers improved aesthetics vs. screw-in lamps while using the same easy screw-in installation
- Keystone Power Select and Color Select technology available
- Ideal for retrofit, new construction, and remodel applications
- Quick-connect E26 base adapter for easy installation in • retrofit applications
- Suitable for a wide range of existing recessed can fixtures .
- Diffused lens reduces glare •
- Powered by Keystone TRIAC dimming LED driver; 10–100% dimming





OVA **Disk Light**

Streamlined aesthetics for a clean, modern appearance.



COLOR SELECT TECHNOLOGY

Adjustable: 2700K-3000K-4000K-5000K



SIMPLE INSTALLATION

Direct mount to junction box; simply remove twist-off lens



Retrofit into a wide range of existing cans with to junction box



Ideal for both commercial and residential structures

VERSATILE








AVAILABLE BRACKET-MOUNT INSTALLATION

quick-connect base adapter; can also mount directly





Direct Mount



COLOR SELECT SWITCH

OVA

Keystone's Ova line of downlights is ideal for both light-duty commercial buildings and multi-dwelling unit (MDU) structures such as condominiums and apartment buildings. These surface-mount disk lights mount directly to a junction box-simply remove the twist-off lens, connect to power, and secure. With their flush mounting, they offer a clean, modern appearance and improved aesthetics vs. screw-in lamps.

Ova is equipped with Color Select technology, helping reduce SKUs and allowing end-users to choose from multiple color temperatures.

Features & Benefits:

6″

Available Sizes


4″


- Offers improved aesthetics vs. screw-in lamps
- Equipped with Color Select technology, reducing SKU complexity .
- Ideal for retrofit, new construction, and remodel applications .
- Direct mount to J-box by simply removing twist-off lens . and securing
- Powered by Keystone TRIAC dimming LED driver; 10–100% dimming
- Flush mount offers clean, modern appearance .



Bracket Mount Model

Ova also offers a bracket mount model, which allows you to mount to the junction box with push clips and a bracket, or use the E26 base adapter to screw into the existing can.





- Available in 4" and 6" Circular
- Powered by Keystone TRIAC dimming LED driver; 10–100% dimming
- Diffused lens reduces glare



E26 base adapter

ADVANTA

Integrated Driver

Power & Color Select 90 CRI

CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	\frown
KT-RDLED13PS-4A-9CSF-CDIM			4"	13/10/9/7/5.5W	1450		
KT-RDLED24PS-6A-9CSF-CDIM	100 0771/	0-10V,	6"	24/21/18.5/13/9.5W	2750	2700/3000	
KT-RDLED30PS-8A-9CSF-CDIM	120-277V	Phase Dimming	8"	30/27/23/20/16W	3350	3500/4000/5000K	
KT-RDLED38PS-10A-9CSF-CDIM			10"	38/32/28/24/20W	4150		

Accessories

Decorative Trims

CATALOG NUMBER	DESCRIPTION	
KT-RDLED-6A-MB-TRIM	Interchangeable trim for 6" integrated driver downlights, matte black	
KT-RDLED-8A-MB-TRIM	Interchangeable trim for 8" integrated driver downlights, matte black	
KT-RDLED-10A-MB-TRIM	Interchangeable trim for 10" integrated driver downlights, matte black	
KT-RDLED-6A-BN-TRIM	Interchangeable trim for 6" integrated driver downlights, brushed nickel	
KT-RDLED-8A-BN-TRIM	Interchangeable trim for 8" integrated driver downlights, brushed nickel	
KT-RDLED-10A-BN-TRIM	Interchangeable trim for 10" integrated driver downlights, brushed nickel	
KT-RDLED-6A-BR-TRIM	Interchangeable trim for 6" integrated driver downlights, bronze	
KT-RDLED-8A-BR-TRIM	Interchangeable trim for 8" integrated driver downlights, bronze	
KT-RDLED-10A-BR-TRIM	Interchangeable trim for 10" integrated driver downlights, bronze	

ADVANTA

Integrated Driver Accessories

Mounts & Brackets

CATALOG NUMBER	DESCRIPTION	
KT-RDLED-JBOX-1-KIT	Junction box for integrated driver downlights, fits KT-RDLED-PLATE-1 new construction rough-in plate	NTO CO
KT-RDLED-PLATE-1	New construction rough-in plate for integrated and remote driver downlights, single piece unit	
KT-WDLED-4-JPLATE-1	New construction rough-in plate for 4" recessed and wafer downlights. Used for joist installations.	100
KT-WDLED-6-JPLATE-1	New construction rough-in plate for 6" recessed and wafer downlights. Used for joist installations.	
KT-WDLED-8/10-JPLATE-1	New construction rough-in plate for 8" and 10" recessed and wafer downlights. Used for joist installations.	

Goof Rings

CATALOG NUMBER	
KT-RDLED-4B-GOOF	Goof ring for 4" remote driver downlights
KT-RDLED-6B-GOOF	Goof ring for 6" remote driver downlights
KT-RDLED-8B-GOOF	Goof ring for 8" remote driver downlights
KT-RDLED-10B-G00F	Goof ring for 10" remote driver downlights



Emergency Backup Integrated

Power & Color Select 90 CRI

CATALOG NUMBER	INPUT Voltage	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE			
KT-RDLED17PS-6A-9CSE-VDIM-EM5	100.077\/	100 0771/	100 077\/	0.101/	6"	17/12/10W	1330/940/750	2000/2500/4000/	
KT-RDLED20PS-8A-9CSE-VDIM-EM5	120-277V	0-10V	8"	20/17/14W	1680/1380/1150	3000/3500/4000K			

Accessories

Mounts & Brackets

CATALOG NUMBER	DESCRIPTION	
KT-RDLED-PLATE-1	New construction rough-in plate for integrated and remote driver downlights, single piece unit	

Decorative Trims

CATALOG NUMBER	DESCRIPTION	
KT-RDLED-EM-6A-MB-TRIM	Interchangeable trim for 6" EM commercial downlight, matte black	\frown
KT-RDLED-EM-8A-MB-TRIM	Interchangeable trim for 8" EM commercial downlight, matte black	\mathbf{O}
KT-RDLED-EM-6A-BN-TRIM	Interchangeable trim for 6" EM commercial downlight, brushed nickel	
KT-RDLED-EM-8A-BN-TRIM	Interchangeable trim for 8" EM commercial downlight, brushed nickel	\mathbf{U}
KT-RDLED-EM-6A-BR-TRIM	Interchangeable trim for 6" EM commercial downlight, bronze	
KT-RDLED-EM-8A-BR-TRIM	Interchangeable trim for 8" EM commercial downlight, bronze	\bigcirc

Goof Rings

CATALOG NUM	BER	DESCRIPTION
KT-RDLED-6A-GOOF	Goof ring for 6" EM commercial downlights	
KT-RDLED-8A-GOOF	Goof ring for 8" EM commercial downlights	

ADVANTARMT

Remote Driver

Power & Color Select 90 CRI

CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	
KT-RDLED16PS-4B-9CSF-VDIM			4"	16/11/7W	1460/990/640		
KT-RDLED18PS-6B-9CSF-VDIM	100 0771/	0.101/	6"	18.5/13/9W	1810/1310/840	2700/3000	
KT-RDLED29PS-8B-9CSF-VDIM	120-277V	0-10V	8"	29/23/16.5W	2780/2280/1660	3500/4000/5000K	
KT-RDLED38PS-10B-9CSF-VDIM			10"	37.5/29.5/21W	3550/2880/2060		

Color Select 90 CRI

KT-RDLED9-4B-9CSF-FDIM			4"	9W	690		
KT-RDLED13-6B-9CSF-FDIM	120V	Triac	6"	13W	990	2700/3000 3500/4000/5000K	
KT-RDLED23-8B-9CSF-FDIM			8"	23W	2010		

Accessories

Decorative Trims

CATALOG NUMBER	DESCRIPTION	
KT-RDLED-4B-MB-TRIM	Interchangeable trim for 4" remote driver downlights, matte black	
KT-RDLED-6B-MB-TRIM	Interchangeable trim for 6" remote driver downlights, matte black	
KT-RDLED-8B-MB-TRIM	Interchangeable trim for 8" remote driver downlights, matte black	
KT-RDLED-10B-MB-TRIM	Interchangeable trim for 10" remote driver downlights, matte black	
KT-RDLED-4B-BN-TRIM	Interchangeable trim for 4" remote driver downlights, brushed nickel	
KT-RDLED-6B-BN-TRIM	Interchangeable trim for 6" remote driver downlights, brushed nickel	
KT-RDLED-8B-BN-TRIM	Interchangeable trim for 8" remote driver downlights, brushed nickel	
KT-RDLED-10B-BN-TRIM	Interchangeable trim for 10" remote driver downlights, brushed nickel	
KT-RDLED-4B-BR-TRIM	Interchangeable trim for 4" remote driver downlights, bronze	
KT-RDLED-6B-BR-TRIM	Interchangeable trim for 6" remote driver downlights, bronze	
KT-RDLED-8B-BR-TRIM	Interchangeable trim for 8" remote driver downlights, bronze	
KT-RDLED-10B-BR-TRIM	Interchangeable trim for 10" remote driver downlights, bronze	

Continued on next page

ADVANTARMT

Remote Driver

Accessories

Mounts & Brackets

CATALOG NUMBER	DESCRIPTION	
KT-RDLED-PLATE-1	New construction rough-in plate for integrated and remote driver downlights, single piece unit	
KT-WDLED-PLATE-2*	New construction rough-in plate for slim and recessed wafer downlights, adjustable hanger bars	
KT-WDLED-4-JPLATE-1	New construction rough-in plate for 4" recessed and wafer downlights. Used for joist installations.	10
KT-WDLED-6-JPLATE-1	New construction rough-in plate for 6" recessed and wafer downlights. Used for joist installations.	0
KT-WDLED-8/10-JPLATE-1	New construction rough-in plate for 8" and 10" recessed and wafer downlights. Used for joist installations.	

*Not compatible with Advanta 10" models.

Goof Rings

CATALOG NUMBER	DESCRIPTION	
KT-RDLED-4B-GOOF	Goof ring for 4" remote driver downlights	
KT-RDLED-6B-G00F	Goof ring for 6" remote driver downlights	
KT-RDLED-8B-G00F	Goof ring for 8" remote driver downlights	
KT-RDLED-10B-G00F	Goof ring for 10" remote driver downlights	

Components

CATALOG NUMBER	DESCRIPTION	
KT-WDLED-EC-6	6' extension cord for all remote driver downlights	
KT-WDLED-EC-12	12' extension cord for all remote driver downlights	
KT-WDLED-EC-20	20' extension cord for all remote driver downlights	· · · · · · · · · · · · · · · · · · ·
KT-MC-NP-1-18/3	12" metal-clad input wire cable for all remote driver downlights (L, N, G)	

CIRCA

Wafer

Chart continued from previous page

Slim | Power & Color Select | 90 CRI

CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	
KT-WDLED10.5PS-4A-9CSF-VDIM			4″	10.5/9.5/8.5W	870/785/710		-
KT-WDLED14PS-6A-9CSF-VDIM	120-277V	0-10V	6"	14/12/10W	1290/1080/925	2700/3000 3500/4000/5000K	
KT-WDLED23PS-8A-9CSF-VDIM			8″	23/18/14W	1960/1500/1185		

Slim | Color Select | 90 CRI

CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE		
KT-WDLED6.5-3A-9CSF-FDIM				3"	6.5W	550		-
KT-WDLED9-4A-9CSF-FDIM	1001/	TDIAC	4″	9W	710	2700/3000		
KT-WDLED13-6A-9CSF-FDIM	- 120V	TRIAC	6″	13W	1080	3500/4000/5000K		
KT-WDLED23-8A-9CSF-FDIM			8"	23W	1960			

Regressed Power & Color Select 90 CRI

CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	-
KT-WDLED10.5PS-4B-9CSF-VDIM			4"	10.5/9.5/8.5W	810/740/655		
KT-WDLED14PS-6B-9CSF-VDIM	120-277V	0-10V	6″	14/12/10W	1220/1070/885	2700/3000 3500/4000/5000K	\sim
KT-WDLED23PS-8B-9CSF-VDIM			8″	23/18/14W	1960/1500/1185		

Regressed Color Select 90 CRI

CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	-		
KT-WDLED6.5-3B-9CSF-FDIM					3"	6.5W	550		
KT-WDLED9-4B-9CSF-FDIM	1001/	TDIAC	4"	9W	655	2700/3000			
KT-WDLED13-6B-9CSF-FDIM	- 120V	TRIAC	6"	13W	1030	3500/4000/5000K			
KT-WDLED23-8B-9CSF-FDIM]		8"	23W	1960				

Baffled | Color Select | 90 CRI

CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE			
KT-WDLED6.5-3BB-9CSF-FDIM	- 120V				3"	6.5W	550		
KT-WDLED9-4BB-9CSF-FDIM		TDIAC	4"	9W	786	2700/3000			
KT-WDLED13-6BB-9CSF-FDIM		TRIAC	6"	13W	1140	2700/3000 3500/4000/5000K			
KT-WDLED23-8BB-9CSF-FDIM			8"	23W	2191				

Gimbal Color Select 90 CRI

CATALOG NUMBER	INPUT Voltage	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	
KT-WDLED8-4A-9CSF-FDIM-G	120V	TRIAC	4"	8W	710	2700/3000	· · · · · · · · · · · · · · · · · · ·
KT-WDLED12-6A-9CSF-FDIM-G	IZUV	INIAC	6"	12W	1050	3500/4000/5000K	

Wafer Accessories

Decorative Trims

CATALOG NUMBER	FIXTURE TYPE	DESCRIPTION	
KT-WDLED-4A-MB-TRIM	Slim wafer	Interchangeable trim for 4" downlight, matte black	
KT-WDLED-6A-MB-TRIM	Slim wafer	Interchangeable trim for 6" downlight, matte black	
KT-WDLED-8A-MB-TRIM	Slim wafer	Interchangeable trim for 8" downlight, matte black	
KT-WDLED-4B-MB-TRIM	Regressed wafer	Interchangeable trim for 4" downlight, matte black	
KT-WDLED-6B-MB-TRIM	Regressed wafer	Interchangeable trim for 6" downlight, matte black	
KT-WDLED-8B-MB-TRIM	Regressed wafer	Interchangeable trim for 8" downlight, matte black	
KT-WDLED-4A-BN-TRIM	Slim wafer	Interchangeable trim for 4" downlight, brushed nickel	
KT-WDLED-6A-BN-TRIM	Slim wafer	Interchangeable trim for 6" downlight, brushed nickel	
KT-WDLED-8A-BN-TRIM	Slim wafer	Interchangeable trim for 8" downlight, brushed nickel	
KT-WDLED-4B-BN-TRIM	Regressed wafer	Interchangeable trim for 4" downlight, brushed nickel	
KT-WDLED-6B-BN-TRIM	Regressed wafer	Interchangeable trim for 6" downlight, brushed nickel	
KT-WDLED-8B-BN-TRIM	Regressed wafer	Interchangeable trim for 8" downlight, brushed nickel	
KT-WDLED-4A-BR-TRIM	Slim wafer	Interchangeable trim for 4" downlight, bronze	
KT-WDLED-6A-BR-TRIM	Slim wafer	Interchangeable trim for 6" downlight, bronze	
KT-WDLED-8A-BR-TRIM	Slim wafer	Interchangeable trim for 8" downlight, bronze	
KT-WDLED-4B-BR-TRIM	Regressed wafer	Interchangeable trim for 4" downlight, bronze	
KT-WDLED-6B-BR-TRIM	Regressed wafer	Interchangeable trim for 6" downlight, bronze	
KT-WDLED-8B-BR-TRIM	Regressed wafer	Interchangeable trim for 8" downlight, bronze	1

Wafer Accessories

Mounts & Brackets

CATALOG NUMBER	DESCRIPTION	
KT-RDLED-PLATE-1*	New construction rough-in plate for integrated and remote driver downlights, single piece unit	
KT-WDLED-PLATE-2	New construction rough-in plate for slim and regressed wafer downlights, adjustable hanger bars	
KT-WDLED-4-JPLATE-1	New construction rough-in plate for 4" regressed and wafer downlights. Used for joist installations.	
KT-WDLED-6-JPLATE-1	New construction rough-in plate for 6" regressed and wafer downlights. Used for joist installations.	
KT-WDLED-8/10-JPLATE-1	New construction rough-in plate for 8" and 10" regressed and wafer downlights. Used for joist installations.	

Not compatible with Circa 8" mode

Goof Rings

CATALOG NUMBER	DESCRIPTION	
KT-WDLED-4AB-GOOF	Goof ring for 4" slim and regressed wafer downlights	
KT-WDLED-6AB-GOOF	Goof ring for 6" slim and regressed wafer downlights	
KT-WDLED-8AB-GOOF	Goof ring for 8" slim and regressed wafer downlights	

Components

CATALOG NUMBER	DESCRIPTION	
KT-WDLED-EC-6	6' extension cord for slim and regressed wafer downlights	
KT-WDLED-EC-12	12' extension cord for slim and regressed wafer downlights	
KT-WDLED-EC-20	20' extension cord for slim and regressed wafer downlights	
KT-MC-NP-1-18/3	12" metal-clad input wire cable for all remote driver downlights (L, N, G)	-4

Retrofit Trim Regressed

Power & Color Select 90 CRI

CATALOG NUMBER	INPUT Voltage	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	
KT-LED14PSRD-6C-9CSF-DIM	120V	TRIAC	5/6"	14/10/8W	1260/960/800	2700/3000 3500/4000/5000k	
KT-LED14PSRD-6C-9CSF-DIM-B	120V	TRIAC	5/6"	14/10/8W	1261/953/799		

Color Select 90 CRI

CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE			
KT-LED8RD-4C-9CSF-DIM	- 120V				4"	8W	730		
KT-LED8RD-4C-9CSF-DIM-B					4	4 8W 754	754		
KT-LED8RD-6C-9CSF-DIM		120V TRIAC	5/6"	8W	755	2700/3000 3500/4000/5000K			
KT-LED10RD-6C-9CSF-DIM				5/	5/6"	10.5W	960		
KT-LED14RD-6C-9CSF-DIM			5/6"	14W	1260		\bigcirc		

Baffled | Power & Color Select | 90 CRI

CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	
KT-LED14PSRD-6CB-9CSF-DIM	1201/	TRIAC	5/6"	14/10/8W	1240/940/790	2700/3000	° 3
KT-LED14PSRD-6CB-9CSF-DIM-B	120V	THAC	5/0	14/10/8W	1264/951/798	2700/3000 3500/4000/5000K	

Baffled | Color Select | 90 CRI

CATALOG NUMBER	INPUT Voltage	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	
KT-LED8RD-4CB-9CSF-DIM	1001/	TDIAG	41	0144	720	2700/3000	
KT-LED8RD-4CB-9CSF-DIM-B	120V	TRIAC	4"	8W	753	2700/3000 3500/4000/5000K	

AVIVA

Retrofit Trim Regressed

Contractor Prime Dedicated 80 CRI

CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	сст	
KT-LED6RD-4C-830-DIM-CS	10.01/	TDIAC	4"	6W	550	2000/	1
KT-LED7RD-6C-830-DIM-CS	120V	TRIAC	5/6"	7W	650	3000K	O

Retrofit Trim Gimbal Color Select | 90 CRI

CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE		
KT-LED8RD-4C-9CSF-DIM-G			4"	8W	810			
KT-LED11RD-6C-9CSF-DIM-G	1001/			11W	1160	2700/3000	6	
KT-LED8RD-4C-9CSF-DIM-G-B	120V	1200		120V THIAC 5/6"	8W	768	3500/4000/5000K	C
KT-LED11RD-6C-9CSF-DIM-G-B			5/6	11W	1113		0	

Retrofit Trim Regressed

Accessories

Decorative Trims

CATALOG NUMBER	DESCRIPTION	
KT-TRIM-RD-4C-MB	4" interchangeable trim for 4" residential circular downlight, matte black	0
KT-TRIM-RD-6C-MB	6" interchangeable trim for 6" residential circular downlight, matte black	
KT-TRIM-RD-4C-BR	4" interchangeable trim for 4" residential circular downlight, bronze	
KT-TRIM-RD-6C-BR	6" interchangeable trim for 6" residential circular downlight, bronze	
KT-TRIM-RD-4C-BN	4" interchangeable trim for 4" residential circular downlight, brushed nickel	
KT-TRIM-RD-6C-BN	6" interchangeable trim for 6" residential circular downlight, brushed nickel	

Decorative Trims for Baffled Models

CATALOG NUMBER	DESCRIPTION	
KT-TRIM-RD-4CB-MB	4" interchangeable trim for 4" residential circular downlight, matte black	\cap
KT-TRIM-RD-6CB-MB	6" interchangeable trim for 6" residential circular downlight, matte black	$\mathbf{\vee}$
KT-TRIM-RD-4CB-BR	4" interchangeable trim for 4" residential circular downlight, bronze	
KT-TRIM-RD-6CB-BR	6" interchangeable trim for 6" residential circular downlight, bronze	
KT-TRIM-RD-4CB-BN	4" interchangeable trim for 4" residential circular downlight, brushed nickel	
KT-TRIM-RD-6CB-BN	6" interchangeable trim for 6" residential circular downlight, brushed nickel	

Goof Rings

CATALOG NUMBER	DESCRIPTION	
KT-GOOF-RD-4C	4" goof ring for 4" residential circular downlight, 6.7" diameter	
KT-GOOF-RD-6C	6" goof ring for 6" residential circular downlight, 10.51" diameter	

Components

CATALOG NUMBER	DESCRIPTION	
KT-ADPT-RD-6C-TS	Torsion spring adapter for 6" residential downlight retrofit	
KT-ADPT-RD-GU24	GU24 adapter for residential circular downlight retrofit	

AVIVA

Retrofit Trim Wafer

Flush | Power & Color Select | 90 CRI

CATALOG NUMBER	INPUT Voltage	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	
KT-LED10PSWD-4A-9CSF-DIM	120V	TRIAC			2700/3000 3500/4000/5000K		
KT-LED15PSWD-6A-9CSF-DIM	120V	TRIAC	6"	15/13/13W	1375/1215/995	2700/3000 3500/4000/5000K	Q .
KT-LED10PSWD-4A-9CSF-DIM-B	120V	TRIAC	4"	10/8/6W	853/700/544	2700/3000 3500/4000/5000K	
KT-LED15PSWD-6A-9CSF-DIM-B	120V	TRIAC	6"	15/13/11W	1341/1194/1003	2700/3000 3500/4000/5000K	

Regressed Smooth | Power & Color Select | 90 CRI

	•						
CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	
KT-LED10PSWD-4B-9CSF-DIM	120V	TRIAC	4"	10/8/6W	885/711/548	2700/3000 3500/4000/5000K	
KT-LED15PSWD-6B-9CSF-DIM	120V	TRIAC	6"	15/13/13W	1375/1215/995	2700/3000 3500/4000/5000K	
KT-LED10PSWD-4B-9CSF-DIM-B	120V	TRIAC	4"	10/8/6W	844/689/535	2700/3000 3500/4000/5000K	
KT-LED15PSWD-6B-9CSF-DIM-B	120V	TRIAC	6"	15/13/13W	1310/1168/962	2700/3000 3500/4000/5000K	

Regressed Baffled | Power & Color Select | 90 CRI

CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	
KT-LED10PSWD-4BB-9CSF-DIM	120V	TRIAC	4"	10/8/6W	880/706/543	2700/3000 3500/4000/5000K	-
KT-LED15PSWD-6BB-9CSF-DIM	120V	TRIAC	6"	15/13/11W	1370/1210/990	2700/3000 3500/4000/5000K	6
KT-LED10PSWD-4BB-9CSF-DIM-B	120V	TRIAC	4"	10/8/6W	842/688/532	2700/3000 3500/4000/5000K	
KT-LED15PSWD-6BB-9CSF-DIM-B	120V	TRIAC	6"	15/13/11W	1311/1169/968	2700/3000 3500/4000/5000K	

Retrofit Trim Wafer

Components

CATALOG NUMBER	DESCRIPTION	
KT-ADPT-RD-6C-TS	Torsion spring adapter for 6" residential downlight retrofit	
KT-ADPT-RD-GU24	GU24 adapter for residential circular downlight retrofit	

OVA

Disk Light

Direct Mount | Color Select | 90 CRI

CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE			
KT-LED10DL-4CA-9CSF-DIM	120V	120V	1201/	TDIAC	TRIAC 4"	10W	700	2700/2000/4000/5000/	
KT-LED15DL-6CA-9CSF-DIM			TRIAC	6"	15W	1000	2700/3000/4000/5000K		

Direct Mount | Contractor Prime | 80 CRI

CATALOG NUMBER	INPUT Voltage	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE		
KT-LED10DL-4CA-830-DIM-CS	1201/	TDIAC	4″	10W	750	2000//		
KT-LED15DL-6CA-830-DIM-CS	120V	IZUV	TRIAC	6"	15W	1100	3000K	

Bracket Mount | Color Select | 90 CRI

CATALOG NUMBER	INPUT Voltage	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE		
KT-LED7DL-4C-9CSH-DIM	1201/	TDIAC	4"	7W	740	2700/2000/4000/5000/		
KT-LED11DL-6C-9CSH-DIM	120V	TRIAC	6"	11W	1170	2700/3000/4000/5000K	TIG	

Accessories

Components for Bracket Mount Models

	CATALOG NUMBER	DESCRIPTION	
KT	-ADPT-RD-GU24	GU24 adapter for residential circular downlights	(W*



The Keystone Difference


Our mission at Keystone is to change the way you think about lighting. We believe that lighting should be simple, hassle-free, and enjoyable. Keystone is Light Made Easy[®].

Complimentary Lighting Layouts

As a maker of a wide variety of lighting products, Keystone knows how valuable providing solutions for lighting design can be.

That's why we can provide answers to your lighting questions to determine how many fixtures you need, what types of lamps are best for your applications, and how to save the maximum amount of energy, all within budget.

By utilizing industry-leading lighting layout design software, we provide accurate and dependable application renderings. For new construction or retrofit, simply provide Keystone with a few key project details, and our lighting designers will get to work on your request.











Keystone Technologies Philadelphia, PA 800.464.2680 LAMPS **POWER SUPPLIES** keystonetech.com

FIXTURES

CONTROLS