

# XFIT LINEAR HIGH BAY

WITH optic  swap



A HIGH BAY  
ABOVE ALL OTHERS

SINCE 1945

**KEYSTONE**

LIGHT MADE EASY®

# ONE FIXTURE DOES IT ALL

optic  swap

## 2 LENS TYPES INCLUDED:

Standard 90°  
optic lenses  
pre-installed


45° x 110°  
Aisle lenses  
included

## TOOL-FREE LENS CHANGE

Lens optics can be switched out by simply undoing two clasps

## Save on Shelf Space

**Reduce SKUs.** With selectable features, two supplied optic lenses, and smaller packaging, one compact fixture takes the place of 12 linear high bays, giving you more room on your shelves.




## Heat Transfer Technology


**Die-cast construction.** Innovative heat sinking allows for better heat dissipation.

## Tool-free Lens Swap


**A revolutionary solution.** Change out optic lenses in seconds to meet your lighting application; fixture comes with standard 90°-degree optic lens and 45° x 110°-degree aisle optic lens.



Aisle Lens (45° x 110°)



Standard Lens (90°)



# Linear High Bay with OpticSwap



CATALOG NUMBER	INPUT VOLTAGE	WATTAGE	CCT	LUMEN OUTPUT	EFFICACY	CRI	POWER FACTOR	LIFETIME
KT-HBLED215PS-2C-OSC-8CSD-VDIM	120-277V	215W	4000K	32,840	153 lm/W	> 80	> 0.90	50,000 hrs
			5000K	32,870	153 lm/W			
		175W	4000K	27,630	158 lm/W			
			5000K	27,870	159 lm/W			
		135W	4000K	21,960	163 lm/W			
			5000K	22,270	165 lm/W			
KT-HBLED105PS-1C-OSC-8CSD-VDIM		105W	4000K	16,050	153 lm/W			
			5000K	16,200	154 lm/W			
		90W	4000K	13,850	154 lm/W			
			5000K	13,950	155 lm/W			
		65W	4000K	10,160	156 lm/W			
			5000K	10,300	158 lm/W			

## Sensors & Accessories



**SMART LOOP PIR SENSOR**  
KTSL-FC3-12V-PKO-PIR



**SMART LOOP FIXTURE CONTROLLER**  
KTSL-FC4-12V-PKO



**SMART PORT MICROWAVE SENSOR**  
KTS-MW3-12V PKO



**SMART PORT PIR SENSOR**  
KTS-PIR3-12V PKO /G2




**CANOPY COVER FEED KIT**  
KT-HBLED-5SC-1-F-KIT



**PENDANT MOUNT KIT**  
KT-HBLED-PM-1B-KIT



**CABLE MOUNT KIT**  
KT-HBLED-CABLE-1B-KIT



**WIRE GUARD KIT | 2' & 4'**  
KT-HBLED-WG-1C-KIT  
KT-HBLED-WG-2C-KIT



**CORD SETS | 6', 10', 15' & 20'**