



XFIT LED BOLLARDS

SINCE 1945
KEYSTONE
LIGHT MADE EASY®

AUGUST 2024

A new level of lighting for paths & walkways

Keystone bollards bring Light Made Easy® to path and walkway illumination on campuses, in office parks, and around high-end buildings.

Its versatile look features a variety of functional and decorative styles, and can be easily installed by placing the head over the fixture's top. The LED bollard head features Power and Color Select technology. A built-in dusk-to-dawn photocell saves energy and heightens security.

It's bollard lighting that's perfect for your environment.


Customizable Features



Multiple head options available



Accessories





Learn more

Bollard with Cone Reflector



CATALOG NUMBER	HOUSING COLOR	TOP SHAPE	SELECTABLE WATTAGE	SELECTABLE CCT	LUMENS	EFFICACY	INPUT VOLTAGE	DIMMING	CRI	DLC
KT-BLED24PS-1A-UNV-8CSB-VDIM	Bronze	Dome	24W	3000K 4000K 5000K	3360	144 lm/W	120-277V	0-10V	> 80	Premium
KT-BLED24PS-1A-UNV-8CSB-VDIM-B	Black		19W		2730					
			14W		1960					
KT-BLED24PS-1B-UNV-8CSB-VDIM	Bronze	Flat	24W	3000K 4000K 5000K	3360	144 lm/W	120-277V	0-10V	> 80	Premium
KT-BLED24PS-1B-UNV-8CSB-VDIM-B	Black		19W		2730					
			14W		1960					

Bollard with Louvered Reflector



CATALOG NUMBER	HOUSING COLOR	TOP SHAPE	SELECTABLE WATTAGE	SELECTABLE CCT	LUMENS	EFFICACY	INPUT VOLTAGE	DIMMING	CRI	DLC
KT-BLED24PS-2A-UNV-8CSB-VDIM	Bronze	Dome	24W	3000K 4000K 5000K	1800	75 lm/W	120-277V	0-10V	> 80	N/A
KT-BLED24PS-2A-UNV-8CSB-VDIM-B	Black		19W		1420					
			14W		1030					
KT-BLED24PS-2B-UNV-8CSB-VDIM	Bronze	Flat	24W	3000K 4000K 5000K	1800	76 lm/W	120-277V	0-10V	> 80	N/A
KT-BLED24PS-2B-UNV-8CSB-VDIM-B	Black		19W		1420					
			14W		1030					

Bollard with Decorative Cone Reflector



CATALOG NUMBER	HOUSING COLOR	TOP SHAPE	SELECTABLE WATTAGE	SELECTABLE CCT	LUMENS	EFFICACY	INPUT VOLTAGE	DIMMING	CRI	DLC
KT-BLED24PS-3C-UNV-8CSB-VDIM	Bronze	Decorative	24W	3000K 4000K 5000K	2960	123 lm/W	120-277V	0-10V	> 80	Premium
KT-BLED24PS-3C-UNV-8CSB-VDIM-B	Black		19W		2300	121 lm/W				
			14W		1680	120 lm/W				

Bollard Bases

CATALOG NUMBER	DESCRIPTION
KT-BLED-6R-UNV-KIT	33.67" tall, 6" diameter bronze aluminum base
KT-BLED-6R-UNV-KIT-B	33.67" tall, 6" diameter black aluminum base

Field-Installable Accessories (purchased separately)

CATALOG NUMBER	DESCRIPTION
KT-ABOLT-6R-KIT	Anchor bolt kit Includes (3) bolts, hardware, and template Used with KT-BLED-6R-UNV-KIT(-B) bollard base For replacements and advance shipments only
KT-SBOLT-6R-KIT	Sleeve bolt kit Includes (3) bolts, hardware, and template Used with KT-BLED-6R-UNV-KIT(-B) bollard base in dry concrete
KT-BLED-PLATE-KIT	Retrofit plate Includes adaptor and cover Bronze Used with legacy 8" and 10" bollards
KT-BLED-PLATE-KIT-B	Retrofit plate Includes adaptor and cover Black Used with legacy 8" and 10" bollards
KT-BLED-SHIELD-180-KIT	180° shield Bronze Used on KT-BLED24PS cone and louvered reflector bollard heads
KT-BLED-SHIELD-180-KIT-B	180° shield Black Used on KT-BLED24PS cone and louvered reflector bollard heads

LIT-BOLLARDS-SELLSHEET