




LED CFL Replacement Lamps

Save Energy. Extend Life. Enjoy **Better Light.** Upgrade pin-based CFL bulbs to LED



Keystone compact LED bulbs offer an energy-efficient, long-lasting solution for downlight applications using pin-based CFL lamps.

They save more than 50% on energy consumption compared to CFL equivalents, last four times as long, and are available with Keystone's Color Select technology, allowing users to choose from among three color temperatures. Available in ballast-compatible and ballast-bypass versions to meet your needs.




COLOR SELECT

Reduce SKUs and increase flexibility with adjustable color temperatures



ENERGY EFFICIENT

More than 50% energy savings compared to CFL



LONG LIFE

50,000-hour lifetime

Solutions for Every Strategy



COLOR SELECT
3000K/3500K/4000K
5000K/6500K


COLOR SELECT
3000K/3500K/4000K

COLOR SELECT
3000K/3500K/4000K

Upgrade your fixture and improve the aesthetic with our stylish downlight. Remove the entire fixture housing and use the existing mounting plate and junction box. Then, wire in our recessed LED fixture with integrated driver and create a fresh new look for your space.



ADVANTA



Scan for more detailed product information.



Color Select options available on all models.

DIRECT DRIVE LED

Eliminate the ballast, connect to line voltage, and upgrade. Improve your light and increase efficiency with LED. Available in multiple styles, including omni-directional and slim horizontal options.

SMART DRIVE LED

Plug-and-play by replacing the old CFL lamp and enjoy greater energy efficiency with less maintenance.

Directional

Bypass the Ballast

CFL LED Replacement Lamps | Color Select

DIRECT DRIVE LED

CATALOG NUMBER	WATTAGE	SELECTABLE CCT	LUMENS	EFFICACY	INPUT VOLTAGE	BASE	ORIENTATION	DLC	CRI	LEGACY REPLACEMENT
KT-LED82P-H-8CSE-D	8.5W	3000K	960	113 lm/W	120-277V	G24d	Horizontal	N/A	>80	26W
		3500K	1020	120 lm/W						
		4000K	1050	124 lm/W						
KT-LED82P-H-8CSI-D	8.5W	2700K	920	108 lm/W	120-277V	G24d	Horizontal	N/A	>80	26W
		4000K	1050	124 lm/W						
		5000K	1050	124 lm/W						
KT-LED82P-V-8CSE-D	8.5W	3000K	1100	129 lm/W	120-277V	G24d	Vertical	N/A	>80	26W
		3500K	1120	132 lm/W						
		4000K	1150	135 lm/W						
KT-LED82P-V-8CSI-D	8.5W	2700K	1000	118 lm/W	120-277V	G24d	Vertical	N/A	>80	26W
		4000K	1150	135 lm/W						
		5000K	1150	135 lm/W						

CFL LED Replacement Lamps | Dedicated

DIRECT DRIVE LED

CATALOG NUMBER	WATTAGE	LUMENS	EFFICACY	INPUT VOLTAGE	BASE	ORIENTATION	DLC	CRI	AVAILABLE CCT	LEGACY REPLACEMENT
KT-LED62P-HS-8xx-D	6W	550	92 lm/W	120-277V	Gx23	Horizontal Slim	N/A	>80	2700K or 4000K	13-18W
KT-LED62P-H-8xx-D	6W	550	92 lm/W	120-277V	Gx23	Horizontal	N/A	>80	2700K, 3000K, 3500K, 4000K, or 5000K	13-18W
KT-LED82P-H-8xx-D	8W	950	119 lm/W	120-277V	G24d	Horizontal	N/A	>80	2700K, 3000K, 3500K, 4000K, or 5000K	26W
KT-LED162P-H-8xx-D	16W	1900	119 lm/W	120-277V	G24d	Horizontal	N/A	>80	2700K, 3000K, 3500K, 4000K, or 5000K	42W
KT-LED82P-EV-8xx-D	8W	950	119 lm/W	120-277V	G24d	Extended Vertical	N/A	>80	2700K, 3000K, 3500K, 4000K, or 5000K	26W
KT-LED82P-V-8xx-D	8W	950	119 lm/W	120-277V	G24d	Vertical	N/A	>80	2700K, 3000K, 3500K, 4000K, or 5000K	26W
KT-LED162P-V-8xx-D	16W	2000	125 lm/W	120-277V	G24d	Vertical	N/A	>80	2700K, 3000K, 3500K, 4000K, or 5000K	42W

To order, simply replace the "xx" with the first two numbers from the corresponding color temperature.

PLL CFL LED Replacement Lamps | Color Select

DIRECT DRIVE LED

CATALOG NUMBER	WATTAGE	LUMENS	EFFICACY	INPUT VOLTAGE	BASE	ORIENTATION	DLC	CRI	AVAILABLE CCT	LEGACY REPLACEMENT
KT-LED8PLL-9GC-8CSJ-D	8W	980	115 lm/W	120-277V	2G11	Horizontal	N/A	>80	3000K, 3500K, 4000K, 5000K or 6500K	18W
KT-LED10PLL-12GC-8CSJ-D	10W	1250	125 lm/W	120-277V	2G11	Horizontal	N/A	>80	3000K, 3500K, 4000K, 5000K or 6500K	24W
KT-LED16PLL-16GC-8CSJ-D	16W	2000	125 lm/W	120-277V	2G11	Horizontal	N/A	>80	3000K, 3500K, 4000K, 5000K or 6500K	36W
KT-LED17PLL-22GC-8CSJ-D/G2	17W	2200	129 lm/W	120-277V	2G11	Horizontal	Yes	>80	3000K, 3500K, 4000K, 5000K or 6500K	40W

Directional

Plug-and-Play

CFL LED Replacement Lamps | Color Select

SMART DRIVE LED

CATALOG NUMBER	LAMP WATTAGE	SYSTEM WATTAGE	SELECTABLE CCT	LUMENS	EFFICACY	INPUT VOLTAGE	BASE	ORIENTATION	DLC	CRI
KT-LED94P-H-8CSE-S	9.5W	11W	3000K	960	101 lm/W	Ballast Dependent	G24q	Horizontal	Yes	>80
			3500K	1020	107 lm/W					
			4000K	1050	111 lm/W					
KT-LED94P-H-8CSI-S	9.5W	11W	2700K	920	97 lm/W	Ballast Dependent	G24q	Horizontal	Yes	>80
			4000K	1020	107 lm/W					
			5000K	1050	111 lm/W					
KT-LED94P-V-8CSE-S	9.5W	11W	3000K	1100	116 lm/W	Ballast Dependent	G24q	Vertical	Yes	>80
			3500K	1120	118 lm/W					
			4000K	1150	121 lm/W					
KT-LED94P-V-8CSI-S	9.5W	11W	2700K	1000	105 lm/W	Ballast Dependent	G24q	Vertical	Yes	>80
			4000K	1120	118 lm/W					
			5000K	1150	121 lm/W					

CFL LED Replacement Lamps | Dedicated

SMART DRIVE LED


CATALOG NUMBER	LAMP WATTAGE	SYSTEM WATTAGE	LUMENS	EFFICACY	INPUT VOLTAGE	BASE	ORIENTATION	DLC	CRI	AVAILABLE CCT
KT-LED94P-H-8xx-S	9W	11W	1050	117 lm/W	Ballast Dependent	G24q	Horizontal	Yes	>80	2700K, 3000K, 3500K, 4000K, or 5000K
KT-LED94P-V-8xx-S	9W	11W	1050	117 lm/W	Ballast Dependent	G24q	Vertical	Yes	>80	2700K, 3000K, 3500K, 4000K, or 5000K

To order, simply replace the "xx" with the first two numbers from the corresponding color temperature.

The Keystone Difference

Our mission at Keystone is to change the way you think about lighting. We believe that lighting should be simple, hassle-free, and enjoyable.

Keystone is Light Made Easy[®].



Keystone Technologies Philadelphia, PA 800.464.2680 keystonetech.com
LAMPS | FIXTURES | POWER SUPPLIES | CONTROLS