

# WALL MOUNT CYLINDER

With

opticeswap

Form FIT

## **Architectural Accent Lighting That Adjusts to Your Needs**

Beautiful outdoor lighting made simple

Sentinel provides versatile architectural illumination for environments such as plazas, parks, and building exteriors—and tool-free FormFit technology allows you to change the exterior look in seconds.



### 81 SKUS IN ONE **3 INCLUDED REFLECTORS 3 POWER OUTPUTS**

**3 DIRECTIONAL OPTIONS** 

**IP65 RATED** 

**3** COLOR TEMP OPTIONS





To swap optics, unscrew cap, take out the pre-installed 40° reflector, and install one of the other two included reflectors. Screw the cap back on, and you're done.





### **MULTIPLE BEAM ANGLES**

40° (pre-installed), 25° & 60° (included)



#### **CHANGE THE AESTHETIC IN SECONDS**

An innovative design feature that transforms the aesthetics of Keystone fixtures with shell accessories that fit on or over the existing fixture.



Black





Unpainted

UP ONLY LIGHTING

DOWN ONLY LIGHTING



LIT-CYLINDER-SELLSHEET

### **Sentinel Wall Mount Cylinders**



CATALOG NUMBER	DESCRIPTION	HOUSING COLOR	SELECTABLE WATTAGE	SELECTABLE CCT	LUMENS	EFFICACY	INPUT Voltage	DIMMING	CRI	RATED Life
KT-CYLED36PS-6A-WDI-OSG-8CSB-VDIM		Bronze	36W	30K/40K/50K	3200					
			28W		2750					
			21W		2210					
			36W		3200					
KT-CYLED36PS-6A-WDI-OSG-8CSB-VDIM-W	6 in. Cylinder	White	28W	30K/40K/50K	2750	105 lm/W	120-277V	0-10V	> 80	50,000 hrs
			21W		2210					
			36W		3200					
KT-CYLED36PS-6A-WDI-OSG-8CSB-VDIM-B		Black	28W	30K/40K/50K	2750					
			21W		2210					
KT-CYLED20PS-4A-WDI-OSG-8CSB-VDIM	4 in. Cylinder	Bronze	20W	30K/40K/50K	2050	108 lm/W	120-277V	0-10V	> 80	50,000 hrs
			16W		1650					
			12W		1290					
KT-CYLED20PS-4A-WDI-0SG-8CSB-VDIM-W		White	20W	30K/40K/50K	2050					
			16W		1650					
			12W		1290					
			20W		2050					
KT-CYLED20PS-4A-WDI-0SG-8CSB-VDIM-B		Black	16W	30K/40K/50K	1650					
			12W		1290					
			10W		1050			0-10V > 80		50,000 hrs
KT-CYLED10PS-3A-WDI-0SG-8CSB-VDIM	3 in. Cylinder	Bronze	8W	30K/40K/50K	840	105 lm/W	120-277V		> 80	
			6W		620					
KT-CYLED10PS-3A-WDI-OSG-8CSB-VDIM-W		White	10W	30K/40K/50K	1050					
			8W		840					
			6W		620					
KT-CYLED10PS-3A-WDI-0SG-8CSB-VDIM-B		Black	10W	30K/40K/50K	1050					
			8W		840					
			6W		620					

Chart shows wattages and lumen values at full power with up and down light enabled

#### **Square Shells** (Sold separately)

CATALOG NUMBER	HOUSING Color	DESCRIPTION		
KT-CYLED-6A-SQ-1-KIT	Bronze			
KT-CYLED-6A-SQ-1-KIT-W	White	Used on CircussUpersus to disdone		
KT-CYLED-6A-SQ-1-KIT-B	Black	Used on 6 in. wall mount cylinders		
KT-CYLED-6A-SQ-1-KIT-U*	Unpainted*			
KT-CYLED-4A-SQ-1-KIT	Bronze			
KT-CYLED-4A-SQ-1-KIT-W	White		Black	White
KT-CYLED-4A-SQ-1-KIT-B	Black	Used on 4 in. wall mount cylinders		
KT-CYLED-4A-SQ-1-KIT-U*	Unpainted*			
KT-CYLED-3A-SQ-1-KIT	Bronze			
KT-CYLED-3A-SQ-1-KIT-W	White	Head on 2 in well mount culindays		Unpainted
KT-CYLED-3A-SQ-1-KIT-B	Black	Used on 3 in. wall mount cylinders	Bronze	
KT-CYLED-3A-SQ-1-KIT-U*	Unpainted*		2.01120	

<sup>\*</sup> Custom paint colors for unpainted finishes will have specified lead times.



