



KT-LED25A23-O-E26-8XX-DIM /G2

200W REPLACEMENT LAMP

DESCRIPTION

24W Commercial A23/PS25 Lamp | 3000–5000K | > 80 CRI | Omnidirectional




RoHS
Compliant



5 YEAR
WARRANTY

LAMP TYPE: A23/PS25
BASE TYPE: E26 (Medium)
WATTAGE: 24W
COLOR TEMPERATURE: 3000–5000K
COLOR RENDERING INDEX (CRI): > 80
WARRANTY: 5 Years



PRODUCT FEATURES

- Up to 75% energy saving compared to legacy equivalent lamps
- Can be used in base-up, base-down, or base-horizontal position
- Large metal heatsink for optimal heat dissipation
- THD < 20%
- PF > 0.90
- Operating temperature range –4°F/–20°C to 113°F/45°C; 95°F/35°C max for fully enclosed fixture
- Ideal for post top, bollards, and outdoor corridor lighting
- Suitable for dry and damp location
- Rated for open and enclosed fixtures
- Energy Star listed
- Meets UL 1993 standards

PERFORMANCE SPECIFICATIONS

Keystone Catalog Number	Lamp Wattage	CCT	Lumens	Efficacy	Input Voltage	Legacy Equivalent Wattage	Base Type	Dimmable*	Light Distribution	CRI
KT-LED25A23-O-E26-830-DIM /G2	24W	3000K	3200	133 lm/W	120-277V	200W incand./ 100W HID	E26	Yes	330°	> 80
KT-LED25A23-O-E26-840-DIM /G2	24W	4000K	3200	133 lm/W	120-277V	200W incand./ 100W HID	E26	Yes	330°	> 80
KT-LED25A23-O-E26-850-DIM /G2	24W	5000K	3200	133 lm/W	120-277V	200W incand./ 100W HID	E26	Yes	330°	> 80

*Note: Lamp is TRIAC dimmable only at 120v.




KT-LED25A23-O-E26-8XX-DIM /G2

200W REPLACEMENT LAMP

PHOTOMETRIC SPECIFICATIONS

POLAR CANDELA DISTRIBUTION




Unit: cd

— C0 / 180,276.7

— C90 / 270,277.6


SPECTRAL DISTRIBUTION



RATED LIFE

L70 (Hours)	25,000
-------------	--------

PHYSICAL SPECIFICATIONS



LAMP DIMENSIONS

A (Length)	6.73"
B (Diameter)	3.23"

BASE TYPE: E26 (Medium)

PACKAGING

Carton Quantity	12 pcs
Carton Dimensions	14.17" x 10.63" x 7.36"
Carton Weight	10 lbs



KT-LED25A23-O-E26-8XX-DIM /G2

200W REPLACEMENT LAMP

ORDERING INFORMATION

CATALOG NUMBER	PACK QTY.	UPC	EASY CODE
KT-LED25A23-O-E26-830-DIM /G2	12 pcs	843654149509	ZGF-28
KT-LED25A23-O-E26-840-DIM /G2	12 pcs	843654149516	PWO-72
KT-LED25A23-O-E26-850-DIM /G2	12 pcs	843654149523	OCS-25

CATALOG NUMBER BREAKDOWN

KT-LED25A23-O-E26-8XX-DIM /G2

1 2 3 4 5 6 7 8 9 8

- 1 Keystone Technologies
- 2 LED Lamp
- 3 Wattage
- 4 Lamp Style
- 5 Omnidirectional
- 6 Base Type
- 7 80 CRI
- 8 CCT
- 9 Dimming
- 10 Second Generation