



SMART//SAFE®
Exit Signs
& Emergency Lights

NOVEMBER 2024

A **Versatile** Portfolio

A wide range of safety and security options, customizable to meet the full scope of your project needs.

Keystone Exit Signs and Combo Units have multiple features built in for easy stocking and installation. We also have egress lighting options to meet the needs of any project in any city.

And, of course, they all feature Keystone power supplies. With fixture and power supply from the same company, you get guaranteed performance and reliability.

For lamps, fixtures, controls, and power supplies, we are your one-stop shop: Light Made Easy®.



**EXIT & EDGE-LIT
SIGNS**

P 4-7



**COMBO
UNITS**

P 8-9



**EMERGENCY
UNITS**

P 10-11



REMOTES

P 12-13

Exit Signs

STANDARD

Designed to meet your needs for a variety of applications and spaces.

Available
Housing Colors



SWAPPABLE COLOR INSERTS

Red or green, with
removable directional
arrows



SWITCHABLE LEDs

Enhances brightness
of lettering for greater
visibility



MULTIPLE MOUNTING POSITIONS

Surface J-Box Mounting:
Back, Side, and Top



Features & Benefits

- Single- and double-sided facings
- 120-277V universal voltage
- UL Damp Location rated
- Available in NYC and Chicago code-compliant models, see pages 17-18



UL 94 5VA flame rating
Highest level flame
retardancy



Rechargeable battery
Ensures minimum 90-min
emergency operation



Waterproof Standard Exit Sign

- UL Wet Location, IP65 rated
- Waterproof PC cover
- Red lettering

Exit Signs

EDGE-LIT

Our edge-lit exit signs are ideal for architectural settings, offering a sleek look with a dramatic profile and versatile aesthetic.

UNIVERSAL UNIT

Includes both recessed mounting and direct wall mount accessories for walls, ceilings, and other locations

MULTIPLE MOUNTING POSITIONS

Surface J-Box Mounting:
Back, Side, and Top

180° PIVOTING

Easily mount to wall or ceiling for proper positioning

VIBRANT COLOR

Available in red or green lettering

REMOVABLE ARROWS

Customize to point towards exit direction

ENHANCED VISIBILITY

Mirrored backing provides uniform light distribution

EMERGENCY TEST BUTTON

Features & Benefits

- Single- and double-sided facings
- 120-277V universal voltage
- Available in NYC code-compliant models, see page 17



UL 94 5VA flame rating
Highest level flame retardancy



Rechargeable battery
Ensures minimum 90-min emergency operation

Combo Units

Keystone combines exit signs with emergency lighting in a combo unit with rugged construction, strong lighting, and easy installation.

Available Housing Colors



Compact Combo Dual Square

MOUNTING OPTIONS

Surface J-Box Mounting:
Back and Top

POSITIONABLE DUAL HEADS



SINGLE- AND DOUBLE-FACED OPTIONS

Features removable arrows

Large Combo

Features & Benefits

- Rugged thermoplastic housing
- 120-277V universal voltage
- UL Damp Location rated
- Available in remote capable options
- Available in Chicago code-compliant and high-output NYC code-compliant models, see pages 17-18

SWAPPABLE COLOR INSERTS

Red or green, with removable directional arrows



UL 94 5VA flame rating
Highest level flame retardancy



Rechargeable battery
Ensures minimum 90-min emergency operation

ROTATABLE HEADS

Target light where you need it

Waterproof Compact Combo Dual Square

- UL Wet Location, IP65 rated
- Rotatable dual heads


Emergency Units

Our emergency units feature all Keystone components for outstanding performance, including bright LED lighting for easy wayfinding and powerful batteries for dependability and longevity.

Available
Housing Colors



Round



**MOUNTING
OPTION**

Indoor: Universal J-Box Mounting:
Back Only

**EMERGENCY
TEST BUTTON**

**ROTATABLE
DUAL HEADS**

Target light where
you need it

Square



Features & Benefits

- 120-277 universal voltage
- Minimum 90-minute emergency operation
- Up to 15-foot spacing for 3-foot path of egress
- Available in remote capable options
- Available in Chicago and NYC code-compliant models, see pages 17-18



UL 94 5VA flame rating
Highest level flame
retardancy



Rechargeable battery
Ensures minimum 90-min
emergency operation



Waterproof

- White
- UL Wet Location, IP65 rated
- Surface J-Box mounting: Back only

Remote capable combo and emergency units can power up to **2** single heads **or** **1** dual head unit.

Remotes

A selection of remote LED heads so you can customize your lighting to best support your space.



Features & Benefits

- Minimum 90-minute emergency operation
- Remote power: simple wired connection to main unit
- Emergency fixture holds larger battery to power remote heads



UL 94 5VA flame rating
Highest level flame retardancy









Waterproof Remotes

- UL Wet Location, IP65 rated
- 100 lumens each head
- Die-cast aluminum base


Exit Signs

CLASSIFIEDULUS

CATALOG NUMBER		LETTER COLOR	HOUSING COLOR	MOUNTING	REMOTE CAPABLE	INPUT VOLTAGE
KT-EX-TP1-WH3RG-SU		Red & Green	White	Surface: Top, Side, and Back Mount	No	120-277V
KT-EX-TP1-BL3RG-SU		Red & Green	Black	Surface: Top, Side, and Back Mount	No	120-277V
KT-EX-EL1-WH3RL-SU		Red	White	Surface: Top, Side, and Back Mount	No	120-277V
KT-EX-EL1-WH3GL-SU		Green	White	Surface: Top, Side, and Back Mount	No	120-277V
KT-EX-EL2-WH3RL-UU		Red	White	Universal: Recessed and Surface Mount (Top, Side, and Back)	No	120-277V
KT-EX-EL2-WH3GL-UU		Green	White	Universal: Recessed and Surface Mount (Top, Side, and Back)	No	120-277V








Waterproof

IP65
RATED

CATALOG NUMBER		LETTER COLOR	HOUSING COLOR	MOUNTING	REMOTE CAPABLE	INPUT VOLTAGE
KT-EX-TP2-WH3RL-SD		Red	White	Surface: Top, Side, and Back Mount	No	120/277V


Combo Units

CLASSIFIEDULUS

CATALOG NUMBER		LUMENS	LETTER COLOR	HOUSING COLOR	MOUNTING	REMOTE CAPABLE	INPUT VOLTAGE
KT-EC-TP2-WH3RGW-SU		160	Red & Green	White	Surface: Top, Side, and Back Mount	No	120-277V
KT-EC-TP2-WH3RGW-SU-RC		160	Red & Green	White	Surface: Top, Side, and Back Mount	Yes	120-277V
KT-EC-TP2-BL3RGW-SU		160	Red & Green	Black	Surface: Top, Side, and Back Mount	No	120-277V
KT-EC-TP2-BL3RGW-SU-RC		160	Red & Green	Black	Surface: Top, Side, and Back Mount	Yes	120-277V
KT-EC-TP1-WH3RGW-SD		200	Red & Green	White	Surface: Top and Back Mount	No	120/277V
KT-EC-TP1-WH3RGW-SD-RC		200	Red & Green	White	Surface: Top and Back Mount	Yes	120/277V
KT-EC-TP1-BL3RGW-SD		200	Red & Green	Black	Surface: Top and Back Mount	No	120/277V
KT-EC-TP1-BL3RGW-SD-RC		200	Red & Green	Black	Surface: Top and Back Mount	Yes	120/277V

Waterproof

IP65
RATED

CATALOG NUMBER		LUMENS	LETTER COLOR	HOUSING COLOR	MOUNTING	REMOTE CAPABLE	INPUT VOLTAGE
KT-EC-TP3-WH3RW-SD		300	Red	White	Surface: Side and Back Mount	No	120/277V

Emergency Units





CATALOG NUMBER		LUMENS	HOUSING COLOR	MOUNTING	REMOTE CAPABLE	INPUT VOLTAGE
KT-EM-TP2-WHWL-SU		160	White	Surface: Back Mount	No	120-277V
KT-EM-TP2-WHWL-SU-RC		160	White	Surface: Back Mount	Yes	120-277V
KT-EM-TP2-BLWL-SU		160	Black	Surface: Back Mount	No	120-277V
KT-EM-TP2-BLWL-SU-RC		160	Black	Surface: Back Mount	Yes	120-277V
KT-EM-TP1-WHWL-SU		200	White	Surface: Back Mount	No	120-277V
KT-EM-TP1-WHWL-SU-RC		200	White	Surface: Back Mount	Yes	120-277V
KT-EM-TP1-BLWL-SU		200	Black	Surface: Back Mount	No	120-277V
KT-EM-TP1-BLWL-SU-RC		200	Black	Surface: Back Mount	Yes	120-277V

Waterproof



CATALOG NUMBER		LUMENS	HOUSING COLOR	MOUNTING	REMOTE CAPABLE	INPUT VOLTAGE
KT-EM-TP3-WHWL-SD		400	White	Surface: Back Mount	No	120/277V



Remotes








CATALOG NUMBER		LUMENS	HOUSING COLOR	SINGLE OR DUAL HEAD	MOUNTING	INPUT VOLTAGE
KT-EM-RS1-WHWL-SL		100	White	Single Head	Surface: Back Mount	Low Voltage - 3.6-15 Vdc
KT-EM-RD1-WHWL-SL		200	White	Dual Head	Surface: Back Mount	Low Voltage - 3.6-15 Vdc
KT-EM-RS1-BLWL-SL		100	Black	Single Head	Surface: Back Mount	Low Voltage - 3.6-15 Vdc
KT-EM-RD1-BLWL-SL		200	Black	Dual Head	Surface: Back Mount	Low Voltage - 3.6-15 Vdc

Waterproof

CATALOG NUMBER		LUMENS	HOUSING COLOR	SINGLE OR DUAL HEAD	MOUNTING	INPUT VOLTAGE
KT-EM-RS2-SVWL-SL		100	Silver	Single Head	Surface: Back Mount	Low Voltage - 3.6-15 Vdc
KT-EM-RD2-SVWL-SL		200	Silver	Dual Head	Surface: Back Mount	Low Voltage - 3.6-15 Vdc



NYC Code-Compliant

CATALOG NUMBER		LETTER COLOR	HOUSING COLOR	MOUNTING	REMOTE CAPABLE	INPUT VOLTAGE
KT-EX-STNY1-WH3RL-SU		Red	White	Surface: Top, Side, and Back Mount	No	120-277V
KT-EX-ELNY1-WH3RL-RU		Red	White	Recessed	No	120-277V
KT-EX-ELNY2-WH3RL-SD		Red	White	Surface: Top, Side, and Back Mount	No	120/277V
KT-EC-STNY1-WH3RW-SU		Red	White	Surface: Top, Side, and Back Mount	No	120-277V
KT-EC-STNY1-WH3RW-SU-HO		Red	White	Surface: Top, Side, and Back Mount	No	120-277V
KT-EM-STNC1-WHWL-SU		N/A	White	Surface: Back Mount	No	120-277V
KT-EM-STNC1-WHWL-SU-HO		N/A	White	Surface: Back Mount	No	120-277V



Chicago Code-Compliant



CATALOG NUMBER		LETTER COLOR	HOUSING COLOR	MOUNTING	REMOTE CAPABLE	INPUT VOLTAGE
KT-EX-STCH1-WH1RL-SU		Red	White	Surface: Top, Side, and Back Mount	No	120-277V
KT-EM-STNC1-WHWL-SU		N/A	White	Surface: Back Mount	No	120-277V
KT-EM-STNC1-WHWL-SU-HO		N/A	White	Surface: Back Mount	No	120-277V
KT-EC-STCH1-WH1RW-SU		Red	White	Surface: Top, Side, and Back Mount	No	120-277V
KT-EC-STCH1-WH1RW-SU-HO		Red	White	Surface: Top, Side, and Back Mount	No	120-277V

Glass Faceplate Kits

for Chicago Code Exit Signs and Combo Units

CATALOG NUMBER	INCLUDED FACEPLATE(S)
KT-EX-STCH1-WH1RL-SU /EE	 Exit x2
KT-EX-STCH1-WH1RL-SU /EL	 Exit with Left Arrow
KT-EX-STCH1-WH1RL-SU /ER	 Exit with Right Arrow
KT-EX-STCH1-WH1RL-SU /ELR	 Exit with Left Arrow Exit with Right Arrow
KT-EX-STCH1-WH1RL-SU /ED	 Exit with Double Arrow
KT-EX-STCH1-WH1RL-SU /EDD	 Exit with Double Arrow x2

CATALOG NUMBER	INCLUDED FACEPLATE(S)
KT-EX-STCH1-WH1RL-SU /S	 Stair
KT-EX-STCH1-WH1RL-SU /SS	 Stair x2
KT-EX-STCH1-WH1RL-SU /SL	 Stair with Left Arrow
KT-EX-STCH1-WH1RL-SU /SR	 Stair with Right Arrow
KT-EX-STCH1-WH1RL-SU /SLR	 Stair with Left Arrow Stair with Right Arrow
KT-EX-STCH1-WH1RL-SU /SD	 Stair with Double Arrow
KT-EX-STCH1-WH1RL-SU /SDD	 Stair with Double Arrow x2

Other
Emergency
Solutions

Our emergency solutions don't stop at the exit sign. Keystone carries a range of SmartSafe emergency backups, fixtures with emergency capabilities, replacement units, and our Emergency Tube—a true UL 924 Certified emergency tube.

We also maintain a database of lamps and fixtures compatible with our ballasts and drivers. Don't see the one you're looking for? Contact us and we'll make every effort to evaluate compatibility.



Direct Drive
Emergency Tube

ADVANTA_{EMRG}




Recessed
Emergency
Downlights



Emergency
Small Low Profile
Wallpack



Scan for
more information



Emergency Backup
Power Supplies



LAMPS | FIXTURES | POWER SUPPLIES | CONTROLS

Keystone Technologies Philadelphia, PA 800.464.2680 keystonetech.com