



KT-LED25A23-O-EX39-8XX-DIM /G2


200W REPLACEMENT LAMP

DESCRIPTION

25W Commercial A23/PS25 Lamp | 3000–5000K | > 80 CRI | Omnidirectional



LAMP TYPE: A23/PS25
BASE TYPE: EX39 (Mogul)
WATTAGE: 25W
COLOR TEMPERATURE: 3000–5000K
COLOR RENDERING INDEX (CRI): > 80
WARRANTY: 5 Years



PRODUCT FEATURES

- Up to 75% energy saving compared to legacy equivalent lamps
- Can be used in base-up, base-down, or base-horizontal position
- Large metal heatsink for optimal heat dissipation
- THD < 20%
- PF > 0.90
- Operating temperature range –4°F/–20°C to 113°F/45°C; 95°F/35°C max for fully enclosed fixture
- Ideal for post top, bollards, and outdoor corridor lighting
- Suitable for dry and damp location
- Rated for open and enclosed fixtures
- Meets UL 1993 and 1598C standards

PERFORMANCE SPECIFICATIONS

Keystone Catalog Number	Related Lamp Wattage	Color Temp	Lumens	Efficacy	Input Voltage	Legacy Equivalent Wattage	Base Type	Dimmable*	Light Distribution	CRI
KT-LED25A23-O-EX39-830-DIM /G2	24W	3000K	3200	133 lm/W	120-277V	200W incand./100W HID	EX39	yes	330°	>80
KT-LED25A23-O-EX39-840-DIM /G2	24W	4000K	3200	133 lm/W	120-277V	200W incand./100W HID	EX39	yes	330°	>80
KT-LED25A23-O-EX39-850-DIM /G2	24W	5000K	3200	133 lm/W	120-277V	200W incand./100W HID	EX39	yes	330°	>80

*Note: Lamp is TRIAC dimmable only at 120v.




KT-LED25A23-0-EX39-8XX-DIM /G2

200W REPLACEMENT LAMP


PHOTOMETRIC SPECIFICATIONS

POLAR CANDELA DISTRIBUTION



Unit: cd
 C0 / 180,276.7
 C90 / 270,277.6


SPECTRAL DISTRIBUTION



RATED LIFE

L70 (Hours)	50,000
-------------	--------

PHYSICAL SPECIFICATIONS



LAMP DIMENSIONS

A (Length)	6.69"
B (Diameter)	3.23"

BASE TYPE: EX39 (Mogul)

PACKAGING

Carton Quantity	12 pcs
Carton Dimensions	14.17" x 10.63" x 7.36"
Carton Weight	10 lbs



KT-LED25A23-O-EX39-8XX-DIM /G2

200W REPLACEMENT LAMP

ORDERING INFORMATION

CATALOG NUMBER	PACK QTY.	UPC	EASY CODE
KT-LED25A23-O-EX39-830-DIM /G2	24 pcs	843654149530	LMH-58
KT-LED25A23-O-EX39-840-DIM /G2	24 pcs	843654149547	UTJ-84
KT-LED25A23-O-EX39-850-DIM /G2	24 pcs	843654149554	CQP-06

CATALOG NUMBER BREAKDOWN

KT-LED25A23-O-EX39-8XX-DIM /G2

1 2 3 4 5 6 7 8 9 10

- 1 Keystone Technologies
- 2 LED Lamp
- 3 Wattage
- 4 Lamp Style
- 5 Omnidirectional
- 6 Base Type
- 7 80 CRI
- 8 CCT
- 9 Dimming
- 10 Second Generation